

ORDINANCE NO. 69
WESTFALL TOWNSHIP

AN ORDINANCE AMENDING WESTFALL TOWNSHIP FLOODPLAIN
DEVELOPMENT ORDINANCE NO. 44

BE IT ENACTED AND ORDAINED by the Township of Westfall, Pike County, Pennsylvania, as follows:

1. Section 4.00D should read: Within any identified floodplain area, the elevation of the lowest floor (including basement) of any new or substantially improved non-residential structure shall be one and one half (1 1/2) feet or more above the one hundred (100) year flood elevation or be floodproofed up to that height.

Any non-residential structure, or part thereof, having a lowest floor which is not elevated to at least one and one half (1 1/2) feet above the one hundred (100) year flood elevation, shall be floodproofed in a completely or essentially dry manner in accordance with W1 or W2 space classification standards contained in the publication entitled "Flood-Proofing Regulations" published by the U.S. Army Corps of Engineers (June 1972), or with some equivalent standard. All plans and specifications for such floodproofing shall be accompanied by a statement certified by a registered professional engineer or architect which states that the proposed design and methods of construction are in conformance with the above referenced standards.

WESTFALL TOWNSHIP

Michael P. ...

Supervisor

John F. ...

Supervisor

George ...

Supervisor

Dated: *January 3, 1989*

Attest:

Shirley A. ...

Secretary